

# DOOR ACCESSORIES // PARTS & ACCESSORIES

## PUSHBUTTON CONTROL STATION

Code	
<b>MV-00001</b>	Single button Nema-1 surface mount
<b>MV-00002</b>	Two-button O/C Nema-1 surface mount
<b>MV-00003</b>	Three-button O/C/S Nema-1 surface mount
<b>MV-00296</b>	Nice wireless OCS PBS (used exclusive to the 10.0 logic Program 3.2.5)
<b>MV-00004</b>	Two button O/C Nema-1 flush mount
<b>MV-00005</b>	PBC-3 three button O/C/S Nema-1 flush mount
<b>MV-00172</b>	LCE-3 Nema-1 flush mount PBS
<b>MV-00006</b>	Three button O/C/S Nema-1 flush mount, c/w key lock-out
<b>MV-00007</b>	Single button Nema-4 surface mount
<b>MV-00008</b>	Two button O/C Nema-4 surface mount
<b>MV-00009</b>	Three button O/C/S Nema-4 surface mount, plastic housing
<b>MV-00010</b>	Three button O/C/S Nema-4 surface mount, metal housing
<b>MV-00011</b>	Three button O/C/S Nema-4 surface mount, c/w key lock-out
<b>MV-00012</b>	Three button O/C/S Nema-4 surface mount, c/w key lock-out (metal housing)
<b>MK-00785</b>	Three button O/C/S Nema-7/9 surface mount (Killark)
<b>MV-00133</b>	Three button O/C/S Nema-4- surface mount c/w pilot light (24V)
<b>MV-00147</b>	Three button O/C/S Nema-4 surface mount c/w key lock-out & pilot light (24V)

## WIRELESS

Code	
<b>MV-00296</b>	Nice wireless OCS PBS (used exclusive to the 10.0 logic Program 3.2.5)
<b>MV-00297</b>	Nice wireless keypad
<b>MV-00304</b>	Nice wireless Key Switch
<b>MV-00305</b>	Nice wireless Pull Cord
<b>MV-00286</b>	Miller wireless transmitter & 1 channel receiver (MWRT-12)
<b>MV-00285</b>	Miller wireless transmitter with audible alarm & 1 channel receiver (MWRTA-12)
<b>MV-00294</b>	Miller MEL-K20 wireless edge transmitter and receiver (K315)
<b>MK-01031</b>	ASO wireless monitored edge transmitter/receiver

## KEY SWITCH CONTROL STATION

Code	
<b>MV-00014</b>	Key switch O/C tamper proof Nema-4 surface mount
<b>MV-00304</b>	Nice Wireless Key Switch
<b>MV-00236</b>	Key switch O/C tamper proof Nema-4 surface mount c/w best core cylinder
<b>MV-00015</b>	Key switch O/C/S button tamper proof Nema-4 surface mount
<b>MV-00237</b>	Key switch O/C/S button tamper proof Nema-4 surface mount c/w best core cylinder
<b>MV-00016</b>	Key switch O/C tamper proof Nema-1 flush mount
<b>MV-00272</b>	Key switch O/C single gang, Nema-1 flush mount
<b>MV-00238</b>	Key switch O/C tamper proof Nema-1 flush mount c/w best core cylinder
<b>MV-00017</b>	Key switch O/C/S button, tamper proof Nema-1 flush mount
<b>MV-00273</b>	Key switch O/C/S button, single gang, stainless steel plate, flush mount
<b>MV-00239</b>	Key switch O/C/S button, tamper proof Nema-1 flush mount c/w best core cylinder
<b>MV-00018</b>	Key switch ON/OFF Nema-4 surface mount
<b>MV-00240</b>	Key switch ON/OFF Nema-4 surface mount c/w best core cylinder

## PULL CORD CONTROL STATION

Code	
<b>MV-00019</b>	Pull cord - SPST - lever type Nema-4
<b>MV-00020</b>	Pull cord - DPST - lever type Nema-4
<b>MV-00021</b>	Pull cord - SPST - swivel type Nema-4
<b>MV-00220</b>	Pull cord - DPST - swivel type Nema-4
<b>MV-00305</b>	Nice Wireless Pull Cord
<b>MV-00022</b>	Pull cord - SPST - Nema - 7/9

# DOOR ACCESSORIES // PARTS & ACCESSORIES

## TIMER CONTROLS

Code	
<b>MK-00002</b>	Timer module (2-wire)
<b>MK-00058</b>	Dual timer 24V module type (APT)
<b>MK-00059</b>	7 day 24hr. economical timer
<b>MK-00060</b>	Timer plug-in type 0-10 min 24V
<b>MK-00477</b>	Timer plug-in type 0-10min 120V
<b>MK-00061</b>	Time delay 1.5 seconds 24/110V
<b>MK-00300</b>	Time delay 0.5 seconds 24/110V
<b>MK-00062</b>	Timer base (8-pin)
<b>MK-00235</b>	Flasher (120V)

## COMMERCIAL/INDUSTRIAL RADIO CONTROLS

Code	
<b>MV-00023</b>	CT-1 O/C/S 1 door transmitter
<b>MV-00024</b>	CT-4 O/C/S 4 door transmitter
<b>MV-00025</b>	CT-32 O/C/S 32 door transmitter
<b>MV-00026</b>	CR-32 24V receiver
<b>MV-00027</b>	CR-32 110V receiver
<b>MV-00028</b>	CR-32E 24V receiver Nema-4
<b>MV-00029</b>	CR-32E 110V receiver Nema-4
<b>MV-00136</b>	Linear 1 channel hand held transmitter
<b>MV-00154</b>	Linear 2 channel hand held transmitter
<b>MV-00171</b>	Linear 4 channel hand held transmitter
<b>MV-00174</b>	Linear 1 channel Mini transmitter (lady bug)
<b>MV-00137</b>	Linear 1 channel 24V receiver
<b>MK-00648</b>	Nice 1 channel 24V receiver with antenna
<b>MK-00647</b>	Nice 1 channel 24V transmitter
<b>MK-00931</b>	Nice mini single button transmitter
<b>MK-00659</b>	Nice 3 channel (1,2,3) hand held transmitter
<b>MK-00653</b>	Nice 3-button O/C/S hand held transmitter (for on-board receiver on 10.0 logic only)
<b>MK-00660</b>	Nice 1 channel hand held transmitter (for APT applications)
<b>MV-00262</b>	Coax cable kit 12ft. long
<b>MK-00719</b>	Replacement antenna for Micanan on-board & external receiver
<b>MK-00646</b>	12" coax cable for on-board receiver

## MOTION DETECTION DEVICES

Code	
<b>MV-00030</b>	Motion detector 24V

## CARD READER CONTROL

Code	
<b>MV-00031</b>	Quality-4 period card reader
<b>MV-00034</b>	Cards
<b>MV-00035</b>	Pedestal

## TREADLE CONTROLS

Code	
<b>MV-00036</b>	Treadle kit 12ft. hose Nema-4 air switch with plug, anchor and YWE connector
<b>MV-00037</b>	Surface mount treadle 5ft. w/ retainer

# DOOR ACCESSORIES // PARTS & ACCESSORIES

## PHOTOCELLS

Code	
<b>MK-00649</b>	Nice UL 325 monitored N-1 thru-beam photocell (0-25 ft. range)
<b>MV-00295</b>	Fraba RAY-RT UL325 monitored reflective photocell (5-50 ft. range)
<b>MK-00697</b>	Fraba UL 325 monitored N-4/4X thru-beam photocell (5-45 ft. range)
<b>MV-00278</b>	Cutler Hammer reflective 24V (0-25ft. range)
<b>MV-00046</b>	Omron, E3K reflective Nema-4 (0-40ft. range)
<b>MV-00227</b>	Omron, E3JM thru-beam Nema-4 (0-30ft. range)
<b>MV-00048</b>	Allen Bradley GRU 24V reflective Nema-4 (0-30ft. range)
<b>MV-00049</b>	Allen Bradley GRU 115V reflective Nema-4 (0-30ft. range)
<b>MV-00298</b>	Miller Rebel through beam UL325 monitored photocell (0-30ft. range)
<b>MV-00300</b>	Banner intrinsically safe reflective photocell (0-25ft. range)
<b>MV-00244</b>	Allen Bradley 42GRL 9000 thru-beam receiver (24/115V) and 42GRR 9001 transmitter 24V (0-30ft. range)
<b>MV-00245</b>	Allen Bradley 42GRL 9000 thru-beam receiver (24/115V) and 42GRR 9002 transmitter 110V (0-30ft. range)
<b>MV-00279</b>	Photocell Reflector

## LIGHT CURTAINS

Code	
<b>MV-00306</b>	Monitored Miller Light Curtain 24V 3'
<b>MV-00307</b>	Monitored Miller Light Curtain 24V 6'
<b>MV-00308</b>	Non-monitored Miller Light Curtain 3'
<b>MV-00309</b>	Non-monitored Miller Light Curtain 6'

## LOOP DETECTOR CONTROLS

Code	
<b>MV-00038</b>	Single loop 24V module with harness
<b>MV-00039</b>	Single loop 110V module with harness
<b>MK-00177</b>	11-pin octal socket (in lieu of harness above)
<b>MV-00043</b>	Pre-formed pave over loop 30ft. Lead - 4' x 8'
<b>MV-00044</b>	Pre-formed saw cut loop 30ft. Lead - 4' x 8'
<b>MV-00098</b>	Sarasota loop detector 625X 24V
<b>MV-00220</b>	Sarasota loop detector 625X 100V

## KEY PAD CONTROLS

Code	
<b>MV-00297</b>	Nice wireless keypad
<b>MV-00053</b>	Keypad 1050G 24V

## ELECTRICAL SENSING DEVICES

Code	
<b>MV-00054</b>	MU-22-2 wire for sectional & sliding doors
<b>MV-00055</b>	MU-22-4 wire Edge
<b>MV-00056</b>	MT-22-2 wire for rolling steel doors
<b>MV-00057</b>	MT-22-4 wire edge
<b>MV-00058</b>	ME-123-2 for sectional doors
<b>MV-00059</b>	ME-123-4 wire edge
<b>MV-00060</b>	ME-123-C mounting channel
<b>MV-00061</b>	ME-113-2 wire for sectional doors
<b>MV-00062</b>	ME-113-4 wire edge
<b>MV-00063</b>	ME-113C mounting channel
<b>MV-00064</b>	ME-120-2 wire for sliding doors & gates
<b>MV-00065</b>	ME-120-4 wire edge

# DOOR ACCESSORIES // PARTS & ACCESSORIES

Code	
<b>MV-00066</b>	ME-120-C mounting channel
<b>MV-00067</b>	ME-110-2 wire for grills & shutters
<b>MV-00068</b>	ME-110-4 wire edge
<b>MV-00069</b>	ME-110-C mounting channel
<b>MV-00070</b>	MGR-20-2 wire for sliding gates 5' round
<b>MV-00071</b>	MGR-20-2 wire for sliding gates 5' square
<b>MK-00545</b>	J-Box (metal junction box)
<b>MV-00283</b>	Miller SM-102 signature module
<b>MP-00123</b>	Addition of end of line resistor (ELR) to electric edge
<b>MV-00286</b>	Miller wireless transmitter & 1 channel receiver (MWRT-12)
<b>MV-00285</b>	Miller wireless transmitter with audible alarm & 1 channel receiver (MWRTA-12)
<b>MV-00294</b>	Miller MEL-K20 wireless edge transmitter and receiver (K315)

## PNEUMATIC CONTROL DEVICES

Code	
<b>MV-00103</b>	Pneumatic kit includes: 14' gum rubber hose, exterior air switch SPDT, 2-wire coil cord for 20' high door & plug
<b>MV-00105</b>	Pneumatic kit includes: 14' gum rubber hose, exterior air switch SPDT, 2-wire reelite for 20' high door & plug
<b>MV-00228</b>	Pneumatic kit includes: 14' gum rubber hose, exterior air switch SPDT, 2-wire reelite for 30' high door & plug
<b>MW-00016</b>	Gum rubber hose ½" ID (soft)
<b>MV-00099</b>	Exterior 3-wire air switch SPDT with housing
<b>MV-00109</b>	Explosion proof air switch, N.O. #128
<b>MV-00141</b>	Coil cord, 2-wire 18ga. 20' extension
<b>MV-00151</b>	Coil cord, 4-wire 18ga. 20' extension
<b>MV-00096</b>	Take-up reels, 2-wire, 18ga. 20' Extension metal
<b>MV-00113</b>	Take-up reels, 3-wire, 18ga. 30' Extension metal
<b>MW-00035</b>	Air hose plug

## MISCELLANEOUS CONTROL DEVICES

Code	
<b>MV-00072</b>	Red/Green warning lights 110V Nema-4 with mounting brackets
<b>MV-00277</b>	Red/Green warning lights 110V (LED) with mounting brackets
<b>MK-00873</b>	Horn/strobe 24VDC
<b>MK-00305</b>	ADA horn/strobe 24VDC WGEC-24 c/w rectifier BR-4
<b>MV-00205</b>	24VDC rectifier BR-4
<b>MV-00284</b>	Buzzer 24V
<b>MV-00269</b>	Buzzer 110V
<b>MV-00073</b>	Rotating beacon 110V (red or amber)
<b>MV-00074</b>	Warning light 110V c/w flasher surface mount Nema-4
<b>MV-00075</b>	Warning bell 24V, 4" diameter Nema-4
<b>MV-00242</b>	Warning bell 110V, 4" diameter Nema-4
<b>MV-00302</b>	APT red/green traffic light, flush console 24VAC/DC or 120 VAC
<b>MV-00077</b>	Interlock switch for sectional door
<b>MV-00078</b>	Interlock switch for rolling steel door
<b>MV-00080</b>	Emergency egress device

## MOUNTING HARDWARE ACCESSORIES

Code	
<b>MM-00327</b>	Right angle front of coil L-bracket for rolling steel doors
<b>MM-00319</b>	Right angle PRO-GJ front of coil L-bracket for rolling steel doors
<b>MM-00332</b>	Right angle front of coil L-bracket for Cornell rolling steel doors
<b>MM-00057</b>	Wall mounting bracket (GH reducer 50/70)