

**Nice**



# Nice Door

**Residential Door Openers**  
**Commercial Door Operators**

# Opening doors for 60 years.

Nice delivers a complete portfolio of garage door openers that provide reliability, value, and everyday convenience. Built on 60 years of trusted Linear engineering and elevated by future-driven Nice design, the Nice GDO/CDO portfolio is built with both installers and customers in mind.



# Door

## 2026 Product Guide

### Residential

|                       |   |
|-----------------------|---|
| Nice Linear 861 ..... | 5 |
| Nice Linear 661 ..... | 5 |
| Linear LDCO863B ..... | 5 |
| Nice 1461J .....      | 5 |
| Nice Linear 821 ..... | 6 |
| Nice Linear 621 ..... | 6 |
| Linear LDCO801 .....  | 6 |

### Commercial

|                                   |    |
|-----------------------------------|----|
| MCX .....                         | 8  |
| MCX-PRO-J .....                   | 9  |
| MCX-PRO-H .....                   | 9  |
| MCX-PRO-GH .....                  | 9  |
| PRO-J // PRO-H // PRO-HBH .....   | 10 |
| PRO-EJ // PRO-EHJ .....           | 10 |
| PRO-GH // PRP-GHC .....           | 11 |
| PRO-GJ .....                      | 11 |
| PRO-LJ // PRO-LH // PRO-LHA ..... | 11 |
| PRO-1461J .....                   | 11 |
| PRO-GT // PRO-GSD .....           | 12 |
| PRO-T .....                       | 12 |
| PRO-APT .....                     | 13 |
| PRO-LT .....                      | 13 |

### Nice G.O. .... 12

### Radio Controls .... 13

|                |    |
|----------------|----|
| MTS1 .....     | 13 |
| MTS3 .....     | 13 |
| ACT-31B .....  | 13 |
| ACT-34B .....  | 13 |
| MDT-1A .....   | 13 |
| MDT-2A .....   | 13 |
| MDT-4A .....   | 13 |
| OXIMGC/A ..... | 13 |
| MGR-2 .....    | 13 |
| AP-5 .....     | 13 |
| MDKP .....     | 13 |
| NMTK .....     | 13 |



# Residential Door Openers


# Smart and Connected



**SMART** WiFi + Bluetooth connected, Nice G.O. smartphone app.

**CONVENIENT** LED lighting, quick limit setting, interchangeable rails.

**SECURE** Battery powered, long battery life, vacation mode.



Smart connected multifunction lighted wallstation and Nice G.O. app. See page 14 for details.



## Nice Linear 861

The Nice Linear 861 garage door opener is powerful enough to operate doors up to 500 lbs. and delivers features that dealers and homeowners want; smart app control, bright integrated LED lighting (1600 Lumens), installed battery, and more.

## Nice Linear 661

The Nice Linear 661 Garage Door Opener combines sleek industrial design with incredible value. The Nice Linear 661 is for doors up to 350 lbs. and features smart app control, integrated LED lighting (800 Lumens), and installed battery.



- **Wi-Fi/Bluetooth** Connected Wall Station Provides simplified robust pairing with Bluetooth and auto firmware updates over cloud leading to less truck rolls.
- **DC Motor** – Smooth & quiet operation with soft start/soft stop, automatic force learning and adjusting.
- **LED Lighting** – Environmentally friendly integrated lighting with no bulbs to buy or replace.
- **Quick Limit Setting** – Limits preset for a 7' door reduce installation time.
- **Integrated Battery** – Compliant with CA SB-969 regulations. Reduce installation time with the pre-wired and installed battery.
- **Long Battery Life** – Lasts up to 3 days or 70 hrs in the case of a power outage.
- **Wi-Fi Status LED Bar** – Indicates Wi-Fi connection status at a glance.



## Linear LDCO863B

The LDCO863B garage door operator features ultra-smooth and quiet performance with variable speed operation, soft start/stop, and ultra quiet motor. And with 3 LED panels and a total of 4,100 lumens.

- Updated Logic Board for 2025-2026
- 4,100 Lumen\* LED Lighting
- Wi-Fi Connected Smartphone-controlled
- Ultra Quiet Operation

## Nice 1461J

The Nice 1461J is a sleek, jackshaft opener with an ultra-quiet DC motor, integrated LED lighting, battery backup, and app control. At only 4.5" wide, it's the perfect solution for the modern garage with large doors or high ceilings.

- For doors up to 14'
- Compact form factor
- LED lighting
- Battery and E-lock included
- Includes 3-button MegaCode® visor remote



# Dependable Value



**MODERN DESIGN** LED lighting, quick limit setting, interchangeable rails.  
**SMART VALUE** Battery powered, long battery life, vacation mode.



## Nice Linear 821

The Nice Linear 821 garage door opener features a bright, 1,600 Lumen full LED panel and enough power to lift doors up to 500 pounds. The 821 performs impressively, includes battery backup, and is fast to install.



## Nice Linear 621

The Nice Linear 621 Garage Door Opener combines sleek modern industrial design, fast installation, battery backup, and impressive performance for doors up to 350 pounds. The 621 is an evolution of the Linear brand and innovation from Nice that creates a robust value-driven choice.

- Integrated battery ensures that garage door and light keep working, even in power outages.
- Whisper quiet DC powered motor with soft start/stop technology operates doors smoothly and quietly.
- Seamless upgrade path to smart operation with the addition of the HAE00080 Wall Station.
- Integrated energy efficient, and environmentally friendly LED lighting.
- Self-Diagnostic System provides real-time alerts and homeowner updates through courtesy lights and sounds.



## Nice Linear LDCO801

The Linear LDCO801 is an energy-efficient, DC-powered Garage Door Opener with ultra-smooth, quiet performance, thanks to its variable speed motor. It features its self-diagnostic system that continually checks for proper operation.

The MegaCode® radio system with over a million unique codes and configurable access levels for up to 10 users ensure added security and versatility.

- Field proven reliability
- Ultra quiet operation, soft start/soft stop
- Optional Battery Backup Unit



# Commercial Door Operators

# MCX

## Powering Every Entrance: The Next Generation of Nice Commercial Door Operators

MCX, the new standard in commercial door automation. Designed from the ground up with a versatile modular platform that delivers power, speed, and effortless set up and control. MCX handles any commercial door with unmatched precision, ease of use, and long term reliability.

### Simplified installation and configuration.

- Floor level programming with the MCX Control Station
- Retrofit ready: optional mounting plates fit legacy CDO footprints
- Field reversible handing—fewer variants to stock and carry


### Connect, control, update.

- Built-in Bluetooth and Wi-Fi
- Nice G.O. app for end users
- Over The Air firmware updates

### One SKU. Every voltage.

- Auto-detects 120V–240V, single or three-phase with no jumpers to set
- Extends to 460/575V via optional transformer kit—no dedicated high-voltage SKU needed





**High Voltage  
Transformer Kit**



**Optional  
Electrostatic  
Brake Kit**



**MCX-PRO-J**  
**Jackshaft operator with  
manual disconnect.**

- 1/2HP
- Jackshaft equivalent to legacy Pro-J 1/2HP



**MCX-PRO-H**  
**Jackshaft operator with  
manual chain hoist.**

- 1/2HP
- Jackshaft hoist equivalent to legacy Pro-H 1/2HP



**MCX-PRO-GH**  
**Extended-duty jackshaft operator  
with manual chain hoist.**

- 1HP
- NEMA-1 or NEMA-4 enclosure
- Extended duty cycle: 150+ per day




**MCX Control  
Station**  
**Unprecedented control and  
programming right at the  
Control Station**

- Fast installation and set up for open/close speed, timers, limits, and much more
- Easily adjust settings and access diagnostics
- High resolution screen



**Functionality on  
the MCX Control  
Station**



See page 14 for details



# Jackshaft Operators



## PRO-J // PRO-H // PRO-HBH

**Industrial, continuous duty belt drive jackshaft operator for high lift, vertical lift sectional doors, and rolling doors.**

- Continuous duty industrial motor 1/2, 3/4 and 1HP
- Full feature logic boards controls
- Heavy duty 5L V-belt and #41 roller chain and sprocket reductions
- Permanently lubricated ball bearings on all drive shafts
- 1" output shaft on final drive
- Full overload protection
- Adjustable friction clutch
- Magnetic solenoid brake (standard on PRO-HBH, optional for PRO-J, PRO-H)
- Mechanical braking system (PRO-J, PRO-H)
- #50 roller chain drive and sprockets
- J incorporates a floor level disconnect, H and HBH, incorporate a floor level disconnect with emergency chain hoist, all with electrical cut-out switch
- Left or right hand mounting (PRO-H, PRO-HBH)
- UL325

## PRO-EJ // PRO-EHJ

**Industrial, duty belt drive jackshaft operator for rolling doors and grilles. Built-in mechanical load sensing feature and emergency egress.**

- Continuous duty industrial motor 1/2 and 3/4HP
- Permanently lubricated ball bearings on all drive shaft
- Built-in mechanical load sensing mechanism to eliminate jamming and damage to a locked rolling grille and door operator
- Emergency egress capability; floor level disconnect allows for opening a grille by manual operation or by door spring tension
- Emergency chain hoist with floor level disconnect and electrical cut-out manual operation (EHJ)
- #50 roller chain drive and sprockets



## PRO-GH // PRP-GHC

**Industrial, continuous duty worm gear drive jackshaft operator with chain hoist for large high lift, vertical lift sectional doors and rolling steel doors.**

- Continuous duty industrial motor 1/2, 3/4, 1, 1 1/2, 2, 3 and 5HP (5HP available as PRO-GH only)
- Full feature logic board controls
- Primary drive worm gear speed reducer in oil bath
- Full overload protection
- Adjustable in-line friction clutch (Optional)
- Magnetic solenoid brake standard
- #50 roller chain drive and sprockets
- Reinforced frame and cast iron pillow block bearings (PRO-GHC)
- Emergency chain hoist with electrical cut-out switch for manual operation
- Universal left or right hand mounting.
- UL325

# Jackshaft Operators

## PRO-GJ

**Medium duty gearhead jackshaft for small rolling doors, shutters and grilles.**

- High starting torque 1/2HP motor with thermal protection
- Worm gear in oil bath reducer
- #41 roller chain drive and sprockets
- Floor level disconnect or emergency manual operation
- Left and right hand mounting (must specify)
- UL325



## PRO-LJ // PRO-LH // PRO-LHA

**Medium Duty belt drive jackshaft operator for High lift, vertical lift sectional doors and small rolling doors and grilles.**

- High starting torque 1/2HP motor with thermal protection
- Heavy duty 4L V-belt and #41 roller chain and sprocket reductions
- Permanently lubricated ball bearings on all drive shafts
- 1" output shaft on final drive
- Adjustable friction clutch
- Left or right hand mounting (PRO-LH, PRO-LHA)
- Magnetic solenoid brake (std on PRO-LJ, PRO-LH, optional on PRO-LHA)
- Mechanical braking system (PRO-LHA)
- #41 roller chain drive and sprockets
- LJ incorporate a floor level disconnect, LH & LHA incorporate a floor level disconnect with emergency chain hoist, all with electrical cut-out switch
- UL325



## PRO-1461J

**The compact jackshaft operator for light commercial sectional doors with light duty cycle requirements.**

- Ideal for light commercial doors with light duty cycle requirements
- Compact design makes installation directly onto the shaft of a sectional door simple and fast
- Simplified connectivity between the control unit and optional accessories
- Rigorous testing and quality control processes ensure long-term dependability
- Dry contact and light terminals to indicate when door is in full open position and for control of external lights
- Compact unit mounts next to the door

# Trolley Operators



## PRO-GT // PRO-GSD

### Commercial / Industrial Continuous Duty Worm Gear Trolley Operator.


- Continuous duty industrial motor 1/2, 3/4, 1, 1.5 and 2HP
- Full feature logic board controls
- Primary reduction worm gear speed reducer in oil bath, secondary reduction #41 roller chain and sprockets
- Permanently lubricated ball bearings on all drive shaft
- 1" output shaft on final drive
- Full overload protection
- Adjustable in-line friction clutch
- Magnetic solenoid brake standard
- #41 roller chain drive
- Emergency quick release disconnect for manual operation
- Sliding door application and hardware (PRO-GSD)
- UL325SB-969 regulations. Reduce installation time with the pre-wired and installed battery
- Long Battery Life – Lasts up to 3 days or 70 hrs in the case of a power outage

---

## PRO-T

### Commercial / Industrial Continuous Duty Belt Drive Trolley Operator.

- Continuous duty industrial motor 1/2, 3/4 and 1HP
- Full feature logic board controls
- Heavy duty 5L V-belt and #41 roller chain and sprocket reduction
- Permanently lubricated ball bearings on all drive shafts
- 1" output shaft on final drive
- Full overload protection
- Adjustable friction clutch
- Sliding door application and hardware (PRO-SD)
- Magnetic solenoid brake standard on PRO-TB and PRO-SD
- #410 roller chain drive on 1/2HP PRO-T and PRO-TB models
- #41 roller chain drive on all PRO-SD; 3/4, 1HP PRO-T and PRO-TB
- Emergency quick release disconnect for manual operation
- UL325Integrated Battery – Compliant with CA SB-969 regulations. Reduce installation time with the pre-wired and installed battery
- Long Battery Life – Lasts up to 3 days or 70 hrs in the case of a power outage



# Trolley Operators



## PRO-APT

### Commercial / Industrial Continuous Duty Belt Drive Apartment Trolley Operator.

- Continuous duty industrial motor 1/2 and 3/4HP
- Full feature logic boards controls
- Full overload protection
- Adjustable friction clutch
- Magnetic solenoid brake (optional PRO-APTb)
- 3/4" and 1" pillow block bearings on pulley and drive shaft
- Heavy duty trolley idler c/w 41B12 sprocket
- Low profile 9" clearance design for apartment applications
- Timer to close and time delay on reverse standard
- Red and Green lights feature (optional)
- Quick disconnect trolley carriage
- UL325SB-969 regulations. Reduce installation time with the pre-wired and installed battery
- Long Battery Life – Lasts up to 3 days or 70 hrs in the case of a power outage

---

## PRO-LT


### Commercial Medium Duty Belt Drive Trolley Operator.

- High standing torque 1/2HP motor with thermal protection
- Heavy duty 4L V-belt and #41 roller chain and sprocket reductions
- Permanently lubricated ball bearings on all drive shaft
- 1" output shaft on final drive
- Adjustable friction clutch
- Emergency quick release disconnect for manual operation
- #410 roller chain drive and sprockets
- Magnetic solenoid brake (optional)
- UL325 Integrated Battery – Compliant with CA SB-969 regulations. Reduce installation time with the pre-wired and installed battery
- Long Battery Life – Lasts up to 3 days or 70 hrs in the case of a power outage





4.7 Star User Rating



# Nice G.O.

- Advanced real-time monitoring and control of garage doors from any mobile device.
- Assign custom access and permissions for authorized users.
- Schedule door and light operation.



Nice smart openers work with



# Radio Controls

Nice/Linear® radio controls cover the industry's diverse range of applications. Our radio controls support everything from remote control of garage door or gate operators, loading dock doors and access control systems, to spanning simple entry to high security access. Our flexible line of single and multi-channel transmitters and receivers can be mixed and matched within product families to fit just about any installation.



MTS3

We make it easy for you to select the right radio control format for match your requirements:

## Transmitters



MTS1



ACT-31B



ACT-34B



MDT-1A



MDT-2A



MDT-4A

## Receivers



OXIMGC/A



MGR-2



AP-5

## Keypads



MDKP



NMTK

The logo consists of a dark blue square with the word "Nice" in white, bold, sans-serif font.

# Nice

# Nice, a world without limits.

## Niceforyou.com

**Nice North America Corporate Office**

5919 Sea Otter Place, Suite 100  
Carlsbad, Ca 92010 Tech: (760) 438 7000  
Sales: (760) 438 7000

**Nice North America Door Division**

1380 St-Regis Dorval, Quebec, Canada  
H9P-2T5  
Tel: (514) 822 1116